## Amendments to claims

This listing of claims will replace all prior versions and listing of claims in the application.

Please cancel claim 1 without prejudice or disclaimer and add new claims 39 through 83 as shown.

- 1-38. (canceled).
- 39. (new): An anhydrous composition formulated for topical delivery comprising:
- (a) an alcohol selected from the group consisting of ethanol, isopropyl alcohol and isobutanol,
- (b) propylene glycol,
- (c) polyethylene glycol,
- (d) glycerin, and
- (e) ketoconazole,

wherein the composition is formulated as an anhydrous gel and does not contain a retinoid.

- 40. (new): The composition of claim 39 wherein the ketoconazole is solubilized.
- 41. (new): The composition of claim 39 wherein the amount of the ketoconazole is about 0.5 to about 3 percent by weight
- 42. (new): The composition of claim 39 wherein the amount of the ketoconazole is about 2.0 percent by weight.
  - 43. (new): The composition of claim 39 wherein the alcohol is ethanol.
- 44. (new): The composition of claim 39 wherein the amount of the polyethylene glycol is about 10 to about 80 percent by weight.
- 45. (new): The composition of claim 44 wherein the amount of the polyethylene glycol is about 20 percent by weight.

- 46. (new): The composition of claim 39 wherein the amount of the propylene glycol is about 1.0 to about 50 percent by weight.
- 47. (new): The composition of claim 46 wherein the amount of the propylene glycol is about 20 percent by weight.
- 48. (new): The composition of claim 39 wherein the amount of the glycerin is about 10 to about 80 percent by weight.
- 49. (new): The composition of claim 48 wherein the amount of the glycerin is about 20 percent by weight.
  - 50. (new): The composition of claim 39 wherein the composition further comprises an emollient.
- 51. (new): The composition of claim 50 wherein the amount of the emollient is between 0 and about 10 percent by weight.
- 52. (new): The composition of claim 50 or claim 51, wherein the emollient is PPG-15 stearyl ether.
- 53. (new): The composition of claim 52 wherein the amount of the PPG-15 stearyl ether is between 0 and about 2 percent by weight.
- 54. (new): The composition of claim 53 wherein the amount of the PPG-15 stearyl ether is about 2 percent by weight.
  - 55. (new): The composition of claim 39 wherein the composition further comprises a viscosifier.
- 56. (new): The composition of claim 55 wherein the amount of the viscosifier is between 0 and about 5 percent by weight.

- 57. (new): The composition of claim 55 or claim 56 wherein the viscosifier is hydroxypropyl cellulose.
- 58. (new): The composition of claim 57 wherein the amount of hydroxypropyl cellulose is about 1.5 to about 2.0 percent by weight.
- 59. (new): The composition of claim 39 wherein the composition further comprises a pH adjuster.
- 60. (new): The composition of claim 59 wherein the amount of the pH adjuster is between 0 and about 2 percent by weight.
- 61. (new): The composition of claim 59 or claim 60 wherein the pH adjuster is selected from the group consisting of ascorbic acid, citric acid and combinations thereof.
- 62. (new): The composition of claim 61 wherein the amount of the ascorbic acid is between 0 and about 0.3 percent by weight.
- 63. (new): The composition of claim 61 wherein the amount of the citric acid is between 0 and about 0.5 percent by weight.
- 64. (new): The composition of claim 62 wherein the amount of the ascorbic acid is about 0.3 percent by weight.
- 65. (new): The composition of claim 63 wherein the amount of the citric acid is about 0.1 percent by weight.
- 66. (new): The composition of claim 39 wherein the composition further comprises an antioxidant.

- 67. (new): The composition of claim 66 wherein the amount of the antioxidant is between 0 and about 2 percent by weight.
- 68. (new): The composition of claim 66 or claim 67 wherein the antioxidant is selected from the group consisting of ascorbic acid, butylated hydroxytoluene and combinations thereof.
- 69. (new): The composition of claim 68 wherein the amount of the butylated hydroxytoluene is between 0 and about 0.1 percent by weight.
- 70. (new): The composition of claim 69 wherein the amount of the butylated hydroxytoluene is about 0.1 percent by weight.
- 71. (new): The composition of claim 39 wherein the composition further comprises one or more colorants.
  - 72. (new): An anhydrous composition formulated for topical delivery comprising:
  - (a) propylene glycol,
  - (b) polyethylene glycol,
  - (c) glycerin,
  - (d) ethanol,
  - (e) ketoconazole,
  - (f) PPG-15 stearyl ether,
  - (g) hydroxypropyl cellulose,
  - (h) ascorbic acid,
  - (i) butylated hydroxytoluene, and
  - (j) citric acid,

wherein the composition is formulated as an anhydrous gel and does not contain a retinoid.

- 73. (new): An anhydrous composition formulated for topical delivery consisting essentially of:
- (a) propylene glycol,
- (b) polyethylene glycol,

- (c) glycerin,
- (d) ethanol,
- (e) ketoconazole,
- (f) PPG-15 stearyl ether,
- (g) hydroxypropyl cellulose,
- (h) ascorbic acid,
- (i) butylated hydroxytoluene, and
- (j) citric acid,

wherein the composition is formulated as an anhydrous gel.

- 74. (new): A method of delivering a composition of any one of claims 39, 72 and 73 for the treatment of skin fungal disorders to a recipient in need of such treatment comprising topically administering the composition to the recipient.
  - 75. (new): The method of claim 74 wherein the recipient is a human.
  - 76. (new): The method of claim 75 wherein the human is suffering from seborrheic dermatitis.
- 77. (new): A method of treating skin fungal disorders comprising topically administering the composition of any one of claims 39, 72 and 73 to a recipient in need of such treatment.
  - 78. (new): The method of claim 77 wherein the recipient is a human.
- 79. (new): The method of claim 78 wherein the skin fungal disorders are associated with *T. rubrum* or *P. ovale*.
- 80. (new): The method of claim 79, wherein the skin fungal disorders are selected from the group consisting of tinea corporis, tinea cruria, tinea pedis and seborrheic dermatitis.
- 81. (new): A method of treating seborrheic dermatitis comprising topically administering the composition of any one of claims 39, 72 and 73 to a recipient in need of such treatment.

- 82. (new): The method of claim 81 wherein the recipient is a human.
- 83. (new): The method of claim 74 wherein the skin fungal disorders are associated with T. rubrum or P. ovale.